


STATUTORY DECLARATION Registration of Fittings

I, Steve Wells, (name of applicant) (position title) (must be in a position of authority) of A-T Controls, Inc. (name of manufacturer) located at 9955 International Blvd; Cincinnati, OH. 45246 (plant address)



do solemnly declare that the fittings listed hereunder, which are subject to the Safety Codes Act (check one)

- comply with the requirements of ANSI/ASME B16.34-2017; AMSE B16.42-2016 which specifies the dimensions, materials of construction, pressure/temperature ratings and identification marking of the fittings, or are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with as supported by the attached data which identifies the dimensions, materials of construction, pressure/temperature ratings and the basis for such ratings, and the marking of the fittings for identification.

I further declare that the manufacture of these fittings is controlled by a quality control program which has been verified by the following authority, AVU Registrations as being suitable for the manufacture of these fittings to the stated standard. The fittings covered by this declaration, for which I seek registration, are NS Series Resilient Seated Butterfly Valves

In support of this application, the following information, calculations and/or test data are attached:

Drawings: P02716. Calculations: TR00222.

DECLARED before me at West Chester in the Butler of Ohio (province or state)

this 3rd day of November, 2018, Jane A. Vail Notary Public, State of Ohio My Commission Expires September 27, 2019

(print) Jane A Vail (a Commissioner of Oaths or Notary Public) (signature of applicant)

For ABSA Office Use Only: See Acceptance Letter for the comments and/or conditions of registration.

NOTES: To the best of my knowledge and belief, the application meets the requirements of the Safety Codes Act and CSA Standard B51, Clause 4.2, and is accepted for registration in Category C

Registration Number: 0C20682.52 (Signature of the Administrator/SCO)

Date Registered: OCT 16 2018 Expiry Date: Sep. 6, 2028


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: A-T Controls, Inc.	
MANUFACTURERS ADDRESS: 9955 International Blvd; Cincinnati, OH. 45246	
PLANT LOCATIONS: 9955 International Blvd; Cincinnati, OH. 45246 / 12840 Sugar Ridge; Stafford, TX 77477	
<p align="center">CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p>C Valves: all line valves</p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/>, (Meeting AECB or ASME requirements)</p>	<p align="center">TITLE OF THE STANDARD OF CONSTRUCTION</p> <p align="center">ANSI/ASME B16.34-2017 ASME B16-42-2016</p>
<p>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</p> <div align="center" style="font-size: 2em; font-weight: bold;">  </div>	<p align="center">TYPE OF CONSTRUCTION</p> <p>FORGED <input checked="" type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER:</p>
<p>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</p> <p>Supporting documentation: Drawings: P02716. Calculations: TR00222</p> <p>Identification: NS Series Resilient-Seated Butterfly Valve</p>	

DECLARATION:

I, Steve Wells, Chief Financial Officer (see note 3) employed by A-T Controls, Inc. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure, temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by AVU Registrations as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: *Steve Wells*
 Declared before me at S/S Bank West Chester Ohio
 This 3rd day of August AD 2018
 Commissioner of Oaths or Notary Public: (sign) *Jane A Vail*
 (Affix Official seal to the right)



JANE A. VAIL
 Notary Public, State of Ohio
 My Commission Expires
 September 27, 2019

This space for Regulatory Authority use
 This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0C20682.5
 FID#: 15253

Notes:
 1. All fittings shall be registered in the name of the Manufacturer.
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

New Brunswick
**DEPT OF JUSTICE PUBLIC SAFETY
 BOILER & PRESSURE VESSEL ACT**

REGISTRATION ONLY
 CRN 0C20682.57

Ben Adams
 CHIEF BOILER INSPECTOR
 DATE 10/5/2018

BLRs PVs
 FITTINGS NUCLEAR COMPONENTS

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR


MANUFACTURERS NAME: A-T Controls, Inc.
 MANUFACTURERS ADDRESS: 9955 International Blvd; Cincinnati, OH. 45246
 PLANT LOCATIONS: 9955 International Blvd; Cincinnati, OH. 45246 / 12840 Sugar Ridge; Stafford, TX 77477

CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY

A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
 B Flanges: all flanges
 C Valves: all line valves
 D Expansion joints, flexible connections, and hose assemblies: all types
 E Strainers, filters, separators, and steam traps
 F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters
 G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs
 H Pressure retaining components that do not fall into one of the above categories
 N Nuclear components: Class 1 Class 2 Class 3 (Meeting AECB or ASME requirements)

TITLE OF THE STANDARD OF CONSTRUCTION
 ANSI/ASME B16.34-2017
 ASME B16-42-2016

SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT





TYPE OF CONSTRUCTION
 FORGED WELDED WROUGHT
 CAST OTHER
 DESCRIBE OTHER:

LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:

Supporting documentation: Drawings: P02716. Calculations: TR00222

Identification: NS Series Resilient-Seated Butterfly Valve

DECLARATION:
 I, Steve Wells, Chief Financial Officer (see note 3) employed by A-T Controls, Inc. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by AVU Registrations as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: 
 Declared before me at S/S Bank West Chester Ohio
 This 3rd day of August AD 2018
 Commissioner of Oaths or Notary Public: (sign) 
 (Affix Official seal to the right)




JANE A. VAIL
 Notary Public, State of Ohio
 My Commission Expires
 September 27, 2019

This space for Regulatory Authority use
 This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0C20682.5
 FID#: 15253

Notes:
 1. All fittings shall be registered in the name of the Manufacturer.
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

Newfoundland
 Labrador
 Service NL
 Registered 0C20682.50
 Date 18 OCT 2018
 Engineering and Inspection Services
 Registered by 
 UNDER THE AUTHORITY OF THE
 PUBLIC SAFETY ACT AND
 THE BOILER, PRESSURE VESSEL AND
 COMPRESSED GAS REGULATIONS


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <u>A-T Controls, Inc.</u>	
MANUFACTURERS ADDRESS: <u>9955 International Blvd; Cincinnati, OH. 45246</u>	
PLANT LOCATIONS: <u>9955 International Blvd; Cincinnati, OH. 45246 / 12840 Sugar Ridge; Stafford, TX 77477</u>	
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY	
<p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p><input checked="" type="checkbox"/> C Valves: all line valves</p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting AECB or ASME requirements)</p>	TITLE OF THE STANDARD OF CONSTRUCTION ANSI/ASME B16.34-2017 ASME B16-42-2016
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	
	
TYPE OF CONSTRUCTION FORGED <input checked="" type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER:	
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:	
Supporting documentation: Drawings: P02716. Calculations: TR00222	
Identification: NS Series Resilient-Seated Butterfly Valve	

DECLARATION:

I, Steve Wells, Chief Financial Officer (see note 3) employed by A-T Controls, Inc. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by AVU Registrations as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: *Steve Wells*
 Declared before me at 513 Bank West Chester Ohio
 This 3rd day of August AD 2018
 Commissioner of Oaths or Notary Public: (sign) *Jane A. Vail*
 (Affix Official seal to the right)



JANE A. VAIL
 Notary Public, State of Ohio
 My Commission Expires
 September 27, 2019

This space for Regulatory Authority use
 This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0C20682.5
 FID#: 15253

Notes:
 1. All fittings shall be registered in the name of the Manufacturer.
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

Northwest Territories
REGISTERED
 UNDER THE AUTHORITY OF
 THE BOILER AND PRESSURE
 VESSEL ACT.
 C.R.N. 0C20682.50
 SIGNED *[Signature]*
 DATE Oct 11/2018

163.00


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
UNNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: A-T Controls, Inc.	
MANUFACTURERS ADDRESS: 8955 International Blvd; Cincinnati, OH, 45246	
PLANT LOCATIONS: 8955 International Blvd; Cincinnati, OH, 45246 / 12840 Sugar Ridge; Stafford, TX 77477	
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges <input checked="" type="radio"/> C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting AECB or ASME requirements)	TITLE OF THE STANDARD OF CONSTRUCTION ANSI/ASME B16.34-2017 ASME B16-42-2016
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT 	TYPE OF CONSTRUCTION FORGED <input checked="" type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER:
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED: Supporting documentation: Drawings: P02716. Calculations: TR00222 Identification: NS Series Resilient-Seated Butterfly Valve	

DECLARATION:

I, Steve Walls, Chief Financial Officer (see note 3) employed by A-T Controls, Inc. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by AVU Registrations as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: *Steve Walls*
 Declared before me at S/S Bank West Chester Ohio
 This 3rd day of August AD 2018

Commissioner of Oaths or Notary Public: (sign) *Jane A. Vail*
 (Affix Official seal to the right)



JANE A. VAIL
 Notary Public, State of Ohio
 My Commission Expires
 September 27, 2019

This space for Regulatory Authority use

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: OC20682.5
 FID#: 15253

Notes:
 1. All fittings shall be registered in the name of the Manufacturer.
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

BOILER & PRESSURE VESSEL
 NOVA SCOTIA
 Date Oct. 5/18
 C.R.N. OC20682.58
 Dwg. P02716
 Signed Yvonne Perry
1 of 1
 Part
 ACT & REGULATIONS


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES


NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: A-T Controls, Inc.	
MANUFACTURERS ADDRESS: 9955 International Blvd; Cincinnati, OH. 45246	
PLANT LOCATIONS: 9955 International Blvd; Cincinnati, OH. 45246 / 12840 Sugar Ridge; Stafford, TX 77477	
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> , (Meeting AECB or ASME requirements)	TITLE OF THE STANDARD OF CONSTRUCTION ANSI/ASME B16.34-2017 ASME B16-42-2016
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	
	
TYPE OF CONSTRUCTION FORGED <input checked="" type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER:	
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED: Supporting documentation: Drawings: P02716. Calculations: TR00222 Identification: NS Series Resilient-Seated Butterfly Valve	

DECLARATION:

I, Steve Wells, Chief Financial Officer (see note 3) employed by A-T Controls, Inc. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by AVU Registrations as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: *Steve Wells*
 Declared before me at S/S Bank West Chester, Ohio
 This 3rd day of August AD 2018
 Commissioner of Oaths or Notary Public: (sign) *Jane A. Vail*
 (Affix Official seal to the right)



JANE A. VAIL
 Notary Public, State of Ohio
 My Commission Expires
 September 27, 2019

This space for Regulatory Authority use This registration must be revalidated after ten (10) years from the date of acceptance. CRN: <u>0C20682.5</u> FID#: <u>15253</u> Notes: 1. All fittings shall be registered in the name of the Manufacturer. 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.	NUNAVUT Pressure Vessels Act REGISTERED CRN <u>0C 20682.5N</u> Date <u>Oct 05, 2018</u> Signed <u><i>[Signature]</i></u> Chief Inspector Territorial Registration Fee
--	--



Technical Standards and Safety Authority
345 Carlingview Drive
Toronto, Ontario M9W 6N9
www.tssa.org

Show facsimile of manufacturer's logo or trademark, as it will appear on the fitting, in the space below



STATUTORY DECLARATION Registration of Fittings

I, Steve Wells, Chief Financial Officer
(Name and Position, e.g. President, Plant Manager, Chief Engineer)

of A-T Controls, Inc.
(Name of Manufacturer)

Located at 9955 International Blvd (Plant Address) (513) 247-5465 (Telephone No.) (513) 247-5462 (Fax No.)

do solemnly declare that the fittings listed hereunder, which are subject to the **Technical Standards and Safety Act**, Boilers and Pressure Vessels Regulation, comply with all of the requirements of

(Title of recognized North American Standard)
which specifies the dimensions, materials of construction, pressure/temperature ratings, identification marking the fittings and service;

or are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with _____ as supported by the attached data which identifies the dimensions, material of construction, pressure/temperature ratings and the basis for such ratings, the marking of the fitting for identification and service.

I further declare that the manufacture of these fittings is controlled by a quality system meeting the requirements of ISO 9001:2015 which has been verified by the following authority, AVU Registrations

The items covered by this declaration, for which I seek registration, are category "C" type fittings. In support of this application, the following information and/or test data are attached as follows:

Drawings: P02716. Calculations: TR00222

(drawings, calculations, test reports, etc.)

Declared before me at 5/3 Bank West Chester in the Butler of Ohio

the 3rd day of August 2018

Commissioner for Oaths:

Jane A Vail
(Printed name)
[Signature]
(Signature)



JANE A. VAIL
Notary Public, State of Ohio
My Commission Expires
September 27, 2019

[Signature]
(Signature of Declarer)

FOR OFFICE USE ONLY

To the best of my knowledge and belief, the application meets the requirements of the **Technical Standards and Safety Act**, Boilers and Pressure Vessels Regulation, and CSA Standard B51 and is accepted for registration in Category "C"

CRN: OC20682.5

Registered by: Zivko Gacevic

Dated: Sep. 6, 2018

NOTE: This registration expires on: Sep. 6, 2028

Technical Standards and Safety Authority	Boilers and Pressure Vessels Safety Program
REGISTERED	
C.R.N.: <u>OC20682.5</u>	
Signed: <u>[Signature]</u>	
Date: <u>Sep. 6, 2018</u>	

Note: See attached documents for Scope of Registration. 2-6-6/18/18

*Information provided in this application is releasable under the Freedom of Information and Privacy Protection Act and may be disclosed upon request.

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTH-WEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: A-T Controls, Inc.

MANUFACTURERS ADDRESS: 8955 International Blvd; Cincinnati, OH. 45248


PLANT LOCATIONS: 8955 International Blvd; Cincinnati, OH. 45248 / 12840 Sugar Ridge; Stafford, TX 77477

CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY

A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
 B Flanges: all flanges
 C Valves: all line valves
 D Expansion joints, flexible connections, and hose assemblies: all types
 E Strainers, filters, separators, and steam traps
 F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters
 G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs
 H Pressure retaining components that do not fall into one of the above categories
 N Nuclear components: Class 1 Class 2 Class 3 (Meeting AECB or ASME requirements)

TITLE OF THE STANDARD OF CONSTRUCTION:
ANSI/ASME B16.34-2017
ASME B16-42-2016

SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT:



TYPE OF CONSTRUCTION:
 FORGED WELDED WROUGHT
 CAST OTHER
 DESCRIBE OTHER:

LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:
 Supporting documentation: Drawings: P02716. Calculations: TR00222
 Identification: NS Series Resilient-Seated Butterfly Valve

DECLARATION:

I, Steve Wella, Chief Financial Officer (see note 2) employed by A-T Controls, Inc. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by AVU Registrations as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]
Declared before me at 513 Bank West Chester Ohio
This 3rd day of August AD 2018
Commissioner of Oaths or Notary Public: (sign) [Signature]
(Attach Official seal to the right)



JANE A. VAIL
Notary Public, State of Ohio
My Commission Expires
September 27, 2019

This space for Regulatory Authority use
 This registration must be revalidated after ten (10) years from the date of acceptance.

GRN: 0C20682.5
 FID#: 15253

Notes:
 1. All fittings shall be registered in the name of the Manufacturer.
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

ACCEPTED
 PROVINCE OF PRINCE EDWARD ISLAND
 COMMUNITIES, LAND & ENVIRONMENT
 C.R.N. 0C20682.59
 DATE: 09 Oct 2018
[Signature]

INSPECTION SERVICES SECTION
BOILER/PRESSURE VESSEL BRANCH

REGISTERED
CRN: CSA-OC20682.56
 Registration Process administered by
CSA Group per CSA B51

Statutory Declaration Registration of Fittings

(a) Design Qualification

I¹ Steve Wells
Chief Financial Officer
 (Position eg, president, plant manager, chief eng.)

Of A-T Controls, Inc.
 (name of company)

Located at 9955 International Blvd; Cincinnati, OH. 45246
 (plant address)

do solemnly declare that the fittings listed hereunder, which are subject to the Boilers & Pressure Vessels Act:

- comply with all the requirements of the ANSI/ASME codes as to their dimensions, material, identification & service for which are required:
- Or
- are not covered by the provisions of the ANSI/ASME codes, and are therefore constructed to comply with _____ code and standard, and are designed to the best current engineering practice, as shown by the supporting test data.

(b) Quality control of Manufacture

I further declare the manufacture of these fittings is controlled by a quality control program which complies with the requirements of ISO 9001-2015, and has been verified by the following authority or authorized agency AVU Registrations

The fittings² covered by this declaration, for which I seek registration, are under A-T Controls, Inc; 9955 International Blvd; Cincinnati, OH. 45246

In support of the application, the following information, calculations and/or test data are attached:
Drawings: P02716 Rev 0 Calculations: TR00222 Rev V, NPS Series Pressure & Temperature Ratings (attachment 1) Rev 0

Declared before me at 5/3 Bank Street Ohio
 In the of Butler of Notary Public, State of Ohio
 The 3rd Day of August AD 192018 My Commission Expires September 27, 2019
Jane A. Vail A (commissioner for oaths) [Signature] Signature of Declarer³

For Official Use Only

The application is accepted for registration in Category C in accordance with the Boilers and Pressure Vessels Act and CSA Standard B51.


This registration must be revalidated after ten 10 years from the date of acceptance. Sep. 6. 2028

Registered Number CRN CSA-OC 20682.56 For the Chief Inspector A. BANWATT
 Date Oct. 15. 2018

1 **Three completed copied of Statutory Declaration form together with three copies of Catalogs, drawings of Bulletins illustrating above fittings shall be submitted.**
 2 **All fittings are required to be registered in the name of the Manufacturer.**
 3 **This form shall be completed and signed by the president of highest official in the manufacturing plan where the fitting is produced.**

*Note:
 1. See attachment as the scope of registration.
 2. This registration covers only the valves in full compliance with ASME B16.34.





Technical Safety Authority of Saskatchewan

REGISTERED

CRN: CSA-OC20682.56



2202 2nd Ave.
Regina, SK S4R 1K3
PH: (306)798-7112 Toll Free: (866)530-8599
FAX: (306)787-9273 Toll Free: (866)760-9255
Email: boilerpermits@tsask.ca
Website: www.tsask.ca

Registration Process administered by
CSA Group per CSA B51

Statutory Declaration (Registration of Fittings)

TSK-1008

I. Declaration Information

I, Steve Wells
Chief Financial Officer
(company title, e.g. vice president, plant manager, chief engineer)
(must be in a position of authority in the manufacturing plant where the fitting is produced)
of: A-T Controls, Inc.
(name of manufacturer)
located at: 9955 International Blvd Cincinnati, OH 45246
(Plant Address - Apt/Street) (City, Prov) (Postal Code)

In this space, show facsimile of manufacturer's logo or trademark as it will appear on the fitting.



do solemnly declare that the fittings listed hereinunder, which are subject to the **Saskatchewan Boiler and Pressure Vessel Safety Act** (check one)


- Comply with the requirements of ANSI/ASME B16.34-2017; ASME B16.42-2016 which specifies the dimensions, Materials of construction, pressure / temperature ratings and identification marking of the fittings, or
(title of recognized North American Standard)
- Are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with _____ as supported by the attached data which identifies the dimensions, materials of construction, pressure / temperature ratings and the basis for such ratings, and the marking of the fittings for identification.

I further declare that the manufacturer of these fittings is controlled by a quality control program which has been verified by the following authority, AVU Registrations as being suitable for the manufacturer of these fittings to the stated standard. The fittings covered by this declaration, for which I seek registration, are under A-T Controls, Inc., 9955 International Blvd., Cincinnati, OH 45246

In support of this application, the following information, calculations and / or test data are attached:

Drawing: P02716 Rev 0; Calculations: TR00222 Rev 0; NS Series Pressure & Temperature Ratings Rev 0 (attachment 1)

II. Declaration

DECLARED before me at S/3 B. W. C. Bldg in the City of Ohio
this 3rd day of August
Jane A Vail
(print name)
Jane A Vail
(Signature of Commissioner of Oaths)


III. Office Use Only

To the best of my knowledge and belief, the application meets the requirements of the **Boiler and Pressure Vessel Safety Act** and CSA B51, Clause 4.2, and is accepted for registration in Category C

CSA-OC20682.56
(Registration Number)

Oct. 15. 2018
(Date Registered - MM DD YYYY)
(For the Administrator / Chief Inspector)

Sep. 6. 2028
(Expiry Date - MM DD YYYY)
A. BANWATT

*Note:

1. See attachment as the scope of registration.
2. This registration covers only the valves in full compliance with ASME B16.34.




UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: A-T Controls, Inc.	
MANUFACTURERS ADDRESS: 9955 International Blvd; Cincinnati, OH. 45246	
PLANT LOCATIONS: 9955 International Blvd; Cincinnati, OH. 45246 / 12840 Sugar Ridge; Stafford, TX 77477	
<p align="center">CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p>C Valves: all line valves</p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/>, (Meeting AECB or ASME requirements)</p>	<p align="center">TITLE OF THE STANDARD OF CONSTRUCTION</p> <p>ANSI/ASME B16.34-2017 ASME B16-42-2016</p>
<p>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</p> <div align="center" style="font-size: 2em; font-weight: bold;">  </div>	<p align="center">TYPE OF CONSTRUCTION</p> <p>FORGED <input checked="" type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER:</p>
<p>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</p> <p>Supporting documentation: Drawings: P02716. Calculations: TR00222</p> <p>Identification: NS Series Resilient-Seated Butterfly Valve</p>	

DECLARATION:

I, Steve Wells, Chief Financial Officer (see note 3) employed by A-T Controls, Inc. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by AVU Registrations as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: *Steve Wells*
 Declared before me at S/S Bank West Chester Ohio
 This 3rd day of August AD 2018

Commissioner of Oaths or Notary Public: (sign) *Jane A. Vail*
 (Affix Official seal to the right)



JANE A. VAIL
 Notary Public, State of Ohio
 My Commission Expires
 September 27, 2019

This space for Regulatory Authority use
 This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: OC20682.5
 FID#: 15253

Notes:
 1. All fittings shall be registered in the name of the Manufacturer.
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

GOVERNMENT OF YUKON

BY *[Signature]*
 CRN OC20682.5Y
 DATE 10/09/2018

BOILERS BRANCH